

COBRA® PRO STYLE

33 mm

Art.no.: FY33KVF



The COBRA® PRO STYLE is a buckle that meets the highest safety requirements. When relieved the buckle can only be through pressing both clips at the same time. The locking mechanism makes one-sided locking of the buckle nearly impossible and is confirmed by a distinct 'clicking' sound.

The locking mechanism of the COBRA® PRO STYLE is an evolution of the COBRA® THE ORIGINAL mechanism which allows easier engagement of the interlocking components and more flexibility when closed. In addition, a larger cut-out on the backside of the COBRA® PRO STYLE prevents dirt, dust, ice or snow from getting caught in the buckle, which increases the extreme performance capabilities and lifetime even more.


Thanks to the identical locking mechanism, all COBRA® PRO STYLE sizes are compatible. In combination with a fitting webbing, the minimum guaranteed load capacity is 18 kN in loop configuration. The COBRA® PRO STYLE is characterized itself by the high flexibility between the male and female parts while the buckle is closed.

use cases:

PPE, Fashion, air sports, tactical, equipment

Technical specifications

BODY	Material: aluminium Color: black Finish: ktl coated
CLIPS	Material: brass Color: colorless Finish: polished
BAR	Material: stainless steel Color: colorless Finish: polished

BREAKING LOAD TENSILE STRENGTH	9 kN
BREAKING LOAD LOOP CONFIGURATION	18 kN
WEIGHT	61 g
RECOMM. WEBBING WIDTH MALE PART	33 mm
RECOMM. WEBBING WIDTH FEMALE PART	33 mm
SLOT WIDTH MALE PART	12 mm
SLOT WIDTH FEMALE PART	4 mm
OUTER DIMENSION LENGTH	61 mm
OUTER DIMENSION WIDTH	49 mm
OUTER DIMENSION DEPTH	10 mm
TECHNICAL DESIGN MALE PART	adjustable
TECHNICAL DESIGN FEMALE PART	non adjustable
SIZE OF CLIPS	standard
COUNTRY OF ORIGIN	Austria
 Patented	
STANDARDS	EN358:2018-11 (partial), EN ISO 9227

